

# REQUEST FOR BOARD ACTION / CONTRACT CONTROL FORM

**Tracking Number:** 6.

**Date of Request:** April 14, 2008

**Date Request Received:** April 14, 2008

**Board Meeting Date Requested:** April 21, 2008

**Board Meeting Date Assigned:** April 21, 2008

**Short Title:** Resolution Authorizing Purchase Orders For School Construction Projects Pursuant To 2005 School Bond Issue: Burgaw Middle School: Carolina Architectural Products, Inc.: \$64,532.

- Request Status:**
- Request is proceeding to Board of Commissioners
  - More information is needed – see attached
  - Request on hold – no further information needed
  - Other:

**Background:** As renovations continue at Burgaw Middle School pursuant to the 2005 School Bond, Carolina Architectural Products has provided the attached quote for installation of a Kalwall translucent panel system. The Board of Education now requests that the County approve for payment.

*(Administrative Use Only)*

Staff recommends approval of this resolution.

**Specific Action Requested:** The Board of Commissioners is requested to approve a purchase order to Carolina Architectural Products, Inc., in the amount of \$64,532 for

Requested by: Melinda Knoerzer  
Department: Pender Utilities  
Title: Administrative Assistant  
Contact Phone: 910.259.1280  
Contact Fax: 910.259.1579

## CONTRACT TYPE

- Renewal
- For Service(s)
- Intergovernmental – County as Grantee
  - Federal Grantor
  - State Grantor
  - Grant or
- County as Grantor
  - County Funds
  - Other Funds:
- Revision
- For Equipment

**PURCHASING** Budgeted Item:  Yes  No  
Date Rec'd:  Reviewed and Approved  
 Comments on Reverse

Date Sent: \_\_\_\_\_  
Signed: \_\_\_\_\_

**ATTORNEY**  Reviewed and Approved  
Date Rec'd:  Legal Problem(s)  
 Comments on Reverse

Date Sent: \_\_\_\_\_  
Signed: \_\_\_\_\_

**FINANCE** Sufficient Funds  Available  
Date Rec'd  Not Available  
 Budget Amendment Necessary  
 Budgeted Amendment is Attached  
 Comments on Reverse

Date Sent: \_\_\_\_\_  
Signed: \_\_\_\_\_

**CLERK** Signature(s) Required:  
 Board Chairman/County Manager  
 Other:

Date Rec'd Approved by Board:  Yes  No  
At meeting on

**MANAGER'S RECOMMENDATION:**

Respectfully Recommend Approval.

AS  
Initials

**RESOLUTION: NOW THEREFORE BE IT RESOLVED** by the Board of Commissioners that

a Purchase Order to Carolina Architectural Products, Inc., in the amount of \$64,532 is approved for Burgaw Middle School. The Chairman/County Manager is authorized to execute any documentation necessary to implement this resolution.

Account # 63-406463                      Burgaw Middle School                      \$64,532

**AMENDMENTS:**


MOVED \_\_\_\_\_ SECONDED \_\_\_\_\_

APPROVED \_\_\_\_\_ DENIED \_\_\_\_\_ UNANIMOUS

YEA VOTES: Williams \_\_\_ Tate \_\_\_ Blanchard \_\_\_ Brown \_\_\_ Rivenbark \_\_\_

\_\_\_\_\_  
J. David Williams, Jr., Chairman                      04/21/08  
Date

\_\_\_\_\_  
Attest                      04/21/08  
Date



Mr. Rick Dutka  
Pender County Schools  
Pender County, NC

RECEIVED

MAR 28 2008

PENDER FINANCE

648 KANNAPOLIS PARKWAY  
CONCORD, NC 28027  
PHONE: (704) 721-3445 • FAX: (704) 721-3462  
EMAIL: caparc@mindspring.com

May 30, 2007

Re: **Burgaw Middle School**  
Pender County, NC

We propose to furnish and install the Kalwall translucent panel system, on the above referenced projects as noted below only.

(32) Wall openings:	(2) 3'-9 1/4" x 8'-0 1/4"	(1) 2'-8 1/2" x 6'-8 1/2"
	(4) 3'-9 1/4" x 5'-3"	(4) 3'-5" x 5'-4 1/2"
	(2) 3'-5" x 2'-9 1/2"	(11) 7'-8" x 7'-11"
	(1) 11'-10" x 7'-11"	(2) 11'-7" x 5'-4"
	(1) 3'-9 1/2" x 6'-6 1/2"	(4) 3'-9" x 6'-9"

This proposal makes provisions for: (6) "cut outs", (17) 2'-6" high double egress sashes, w/ 1/4" Kalwall insert  
(13) 2'-6" high fixed sashes w/ 1/4" Kalwall insert, Channel over at sill  
and all new metal head and jamb "wraps" at existing openings.

Pricing is valid for size and scope noted only. IF SIZE AND/OR SCOPE DIFFER, RE-PRICING MAY BE REQUIRED. In addition, the materials quoted are subject Kalwall's standard details and construction.

WE PROPOSE TO DO THIS WORK FOR THE SUM OF ..... \$ 64,532.00  
TAX INCLUDED

Notes/Exceptions:

- 1) Protection, after final installation, and final cleaning to be by others.
- 2) Exposed aluminum shall be Kalwall's standard corrosion resistant painted finish from standard colors.
- 3) Kalwall wall systems require 3 wide minimum, continuous, flat support at perimeter.
- 4) Panel make-up shall be Kalwall's standard 2-3/4" panels system shall be: .070" super-weathering White exterior face; .045" White Type 25 interior faces, standard 12" x 24" shoji grid pattern and .53 "UP" factor, by NFRC Method.
- 5) Wall System is design for 20 PSF wind load.
- 6) Removal and preparation of existing opening to be by others.
- 7) Kalwall includes its standard 1 year material and workmanship warranty
- 8) Less quote is valid for 30 days.

Respectfully submitted,

John Wiese  
Carolina Architectural Products, Inc.

